

Test your knowledge

Overdose deaths

Is there an increase or decrease of overdose deaths from 2019 to 2021?

- a. Increase
- b. Decrease

There has been an increase of overdose deaths from 2019 to 2021. If you hover over each of the cells, the number has increased from 55 deaths in 2019 to 78 deaths in 2021.

Which age group has the highest percent of overdose deaths in 2021?

- a. ≤19 years
- b. 20 – 29 years
- c. 30 – 39 years
- d. 40 – 49 years
- e. 50 – 59 years
- f. 60 – 69 years
- g. 70+ years

Naloxone/Narcan Administration

How many lives were saved in January 2022 by using Naloxone/Narcan®? (Hover over graph to find months).

- a. 34 lives
- b. 106 lives
- c. 60 lives


What was the average number of Naloxone/Narcan® given out by harm reduction agencies in Pueblo County in 2021?

- a. 705
- b. 834
- c. 662
- d. 540
- e. 818

Naloxone/Narcan by Emergency Transport Services

Which ages received more Naloxone/Narcan® in Pueblo County?

- a. ≤19 years
- b. 20 – 29 years
- c. 30 – 39 years
- d. 40 – 49 years
- e. 50 – 59 years
- f. 60 – 69 years
- g. 70+ years



What is the most dominant outcome after patients receive 1 or more doses of Naloxone/Narcan®?

- a. Patient is stable
- b. Patients need care and should be watched
- c. Patient is critical
- d. Patient is dead or non-survivable

Fentanyl Strip Testing

According to the graph and table, what is a possible reason for declining percent of Heroin and Methamphetamine testing positive for Fentanyl in 2021 and 2022?

- a. There is no more fentanyl in circulation.
- b. There is a decrease in the number of reported tested drugs.

Prescription Drugs

From 2014 to 2019, what was the opioid prescription rates trend in Pueblo County?

- a. Increased
- b. Decreased

Have high dosage (>90 mme) opioids prescriptions increased or decreased in Colorado and Pueblo County from 2014-2019?

- a. Increased
- b. Decreased

Health Services

Which substance-related diagnoses are charted most often in healthcare agencies in Pueblo County?

- a. Tobacco/nicotine
- b. Alcohol
- c. Opioids
- d. Other stimulants
- e. Cannabis or marijuana diagnoses.

Behavior Change and Fentanyl

Between April 2022 and October 2022, how did the percent of individuals who changed their drug usage pattern after a positive fentanyl test change?

- a. Increased
- b. Decreased

What were the three biggest changes individuals made due to positive fentanyl testing in 2021?

- a. Used less amount, did not use alone, sniffed/smoked
- b. Used less amount, threw drugs away, sold the supply
- c. Used less amount, threw drugs away, shared test results

Naloxone/Narcan

Has there been an increase or decrease of Naloxone/Narcan® use from January 2018?

- a. Increase
- b. Decrease

From 2018 to 2022, what is the trend of calling 911 after Naloxone/Narcan® use?

- a. Increased
- b. Decreased

What is the most common outcome of one dose of Naloxone/Narcan®?

- a. Person did not wake up
- b. Person woke up

Drugs and Overdose

In 2021, what percent of overdose deaths are associated with multiple drugs?

- a. 45%
- b. 38%
- c. 56%
- d. 44%

From 2019 to 2021, how many number of drugs represented the most number of drugs associated with overdose deaths (as found in drug toxicology reports)

- a. 1
- b. 2
- c. 3
- d. 4

Overdose Incidents

From January 2020 to November 2022, which month has the highest number of overdose incidents?

- a. June 2021
- b. May 2020
- c. March 2022
- d. April 2022

What overdose incidents recording status was the highest at the time Emergency Medical Services (EMS) arrived?

- a. Fatal
- b. Non-Fatal
- c. Unknown