

# Chemical Storage Room Waiver

MAHC 5.9.1.13 states “The chemical storage space shall be separate from the equipment room.” Applicants who do not have separate rooms for equipment and chemicals must complete this waiver. Per MAHC 5.9.1.13.1, aquatic facilities may obtain a waiver if the facility does not currently have a chemical storage space separate from the equipment room if the chemicals are protected from exposure to heat and moisture and no imminent health or safety threats are identified.

Business Information			
Aquatic Facility Name		Applicant Name	
Physical address of business City, State, Zip Code			
Phone number		Email	

The following MAHC citations must be followed to allow the aquatic facility to store pool chemicals in the same room as recirculation/pump equipment. Initialing next to each section signifies the applicant will comply with the citations to prevent hazards and/or injuries associated with storing chemicals and equipment in the same storage space.

2022 Pueblo County MAHC Section Citation	Applicant Initials
<b>5.9.1.1A</b> Local Codes chemical storage shall be in compliance with local building and fire codes*.	
<b>5.9.1.3A</b> Safety Data Sheets For each chemical, storage, handling, and use of the chemical shall be in compliance with the manufacturer’s SDS and labels.	
<b>5.9.1.4</b> Access Prevention aquatic venue chemicals shall be stored to prevent access by unauthorized individuals.	
<b>5.9.1.5A</b> Protected aquatic venue chemicals shall be stored so that they are protected from getting wet.	
<b>5.9.1.6A</b> No Mixing aquatic venue chemicals shall be stored so that if the packages were to leak, no mixing of incompatible materials would occur.	
<b>5.9.1.7A</b> Ignition Sources Possible ignition sources, including but not limited to gasoline, diesel, natural gas, or gas-powered equipment such as lawn mowers, motors, grills, pool heaters, or portable stoves shall not be stored or installed in the chemical storage space.	
<b>5.9.1.10A</b> Personal Protective Equipment PPE shall be available as indicated on the chemical SDSs.	
<b>5.9.1.11</b> Storage Chemicals shall be stored away from direct sunlight, temperature extremes, and high humidity.	
<b>5.9.2.1</b> Identity Containers of chemicals shall be labeled, tagged, or marked with the identity of the material and a statement of the hazardous effects of the chemical according to OSHA and/or EPA materials labeling requirements.	
<b>5.9.2.1.1</b> Labeling all aquatic venue chemical containers shall be labeled according to OSHA and/or EPA materials labeling requirements.	
<b>Are pictures, drawings, quotes, or equipment specification sheets attached to this request?</b>	<b>YES / No</b>
<b>Applicant Signature</b>	<b>Date</b>
<b>PDPHE EHS Signature</b>	<b>Date</b>
<input type="checkbox"/> <b>Waiver Approved. Facility can operate as is.</b>	<input type="checkbox"/> <b>Waiver Denied. See comments below for next steps.</b>
<b>Comments (PDPHE use only):</b>	