BROMINE POOL/INTERACTIVE PLAY FEATURE CHEMICAL LOG

Volume (Gallons):

Target Flow Rate (GPM):

Disinfectant Used:

Testing intervals:		At opening + every 4 hrs. while open		Once per day		As needed	Weekly	Monthly
		рН	Bromine	Flowmeter	Temp	Corrections, Incidents, or	Alkalinity	Calcium
Date	Test Time	7.0-8.0	3.0-8.0 ppm	(GPM)	70-104°F	Additional Readings	60-180 ppm	2500 ppm max
							Date Tested	Date Tested
							<u>Reading</u>	<u>Reading</u>
							Reduing	Reduilig

BROMINE POOL/INTERACTIVE PLAY FEATURE CHEMICAL LOG

Volume (Gallons):

Target Flow Rate (GPM):

Disinfectant Used:

Testing intervals:		At opening + every 4 hrs. while open				As needed	Weekly	Monthly
Date	Test Time	pH 7.0-8.0	Bromine 3.0-8.0 ppm	Flowmeter (GPM)	Temp 70-104°F	Corrections, Incidents, or Additional Readings	Alkalinity 60-180 ppm	Calcium 2500 ppm max
							Date Tested	Date Tested
							<u>Reading</u>	Reading